

NetCDF Why and How:

Creating Publication-Quality NetCDF Datasets

Presenters: Michele Thornton, Jack McNelis

With contributions from:

Matt Donovan, Yaxing Wei




ORNL Distributed Active Archive Center (ORNL DAAC)

Environmental Sciences Division

Oak Ridge National Laboratory

Oak Ridge, TN

September 4, 2019



ORNL DAAC*



The ORNL DAAC **mission** is to **assemble, distribute, and provide data services** for a comprehensive archive of terrestrial biogeochemistry and ecological dynamics observations and models to facilitate research, education, and decision-making in support of NASA's Earth science.

*Oak Ridge National Laboratory
Distributed Active Archive Center



<https://daac.ornl.gov/>

Purpose of this Webinar

- 1. Why** we, as a DAAC within NASA EOSDIS, use netCDF file formats w/ CF Conventions and why you as a data provider may want to consider netCDF
- 2. How** we *transform* and *standardize* files to accepted netCDF CF conventions
 - Demonstration in:
 1. GDAL and NCO – Command Line Utilities that Manipulate netCDF file formats
 2. Python

This webinar and demonstration material will be available at:
ORNL DAAC Resources Page: <https://daac.ornl.gov/resources/learning/>


Why netCDF

1. NASA (ESDIS) – Approved!

<https://earthdata.nasa.gov/esdis/eso/standards-and-references/dataset-interoperability-recommendations-for-earth-science>

2. netCDF (network common data form) format

- Created for multi-dimensional data
- A UCAR Unidata product
- Supports creation, access, and sharing of array-oriented scientific data
- Grows in popularity and usefulness




3. It important in the DAAC's mission to distribute and provide data services

- Users can programmatically access data
- Users can subset datasets spatially and temporally

4. Improved Data Analysis

- Software such as R, Python, and ArcPro


Why netCDF



netCDF How

An Example of a “Typical” Dataset Transformation

ABOVE: Dall Sheep Response to Snow and Landscape Covariates, Alaska, 2005-2008
<https://doi.org/10.3334/ORNLDAAC/1602>



Original Dataset

Model Data Output - SnowModel

geoTIFF file format

Individual Daily Files for 2005 – 2008

Each file has 2 “Bands”

Band 1 = Snow Depth

Band 2 = Snow Density

5 different spatial resolutions (meter)

25, 100, 500, 2000, 10000

~ 5,480 files (*.tif)

netCDF How

An Example of a “Typical” Dataset Transformation

ABOVE: Dall Sheep Response to Snow and Landscape Covariates, Alaska, 2005-2008
<https://doi.org/10.3334/ORNLDAAC/1602>

*2006 Data Files

Data File (Granule)
snow_density_00025m_2006.nc4
snow_density_00100m_2006.nc4
snow_density_00500m_2006.nc4
snow_density_02000m_2006.nc4
snow_density_10000m_2006.nc4
snow_depth_00025m_2006.nc4
snow_depth_00100m_2006.nc4
snow_depth_00500m_2006.nc4
snow_depth_02000m_2006.nc4
snow_depth_10000m_2006.nc4

Final Dataset Distribution

Organized files by:

1 file/year (365 days)

Separate Variables

Separate Spatial Resolution

20 Snow Depth Files


20 Snow Density Files

netCDF file format


40 Files (*.nc)

netCDF How


An Example of a “Typical” Dataset Transformation



```
netcdf snow_depth_00500m_2006_time_timebn
dimensions:
    time = 365 ;
    x = 160 ;
    y = 240 ;
variables:
    float SnowDepth_500m(time, y, x) ;
    SnowDepth_500m:_FillV;
    SnowDepth_500m:coord;
    SnowDepth_500m:grid_1;
    SnowDepth_500m:long_1;
    SnowDepth_500m:units;
double time(time) ;
time:units = "days since
time:calendar = "standar
time:description = "mid
time:long_name = "time" ;
time:standard_name = "time" ;
```




4. Apply CF Standards



<https://pro.arcgis.com/en/pro-app/tool-reference/space-time-pattern-mining/create-space-time-cube.htm>

netCDF How

Parts of a GeoTIFF File



GeoTIFF Files:
Snow Depth, 500 meter,
2006, Daily Data

Columns x Rows

- 160 col x 240 row

Individual Files or Multiband / Time

- Daily

Projection (CRS)

- Albers Equal Area

Pixel Variable

- Snow Depth

Attribute/Unit

- cm

```
Coordinate System is:
PROJCS["unnamed",
  GEOGCS["NAD83",
    DATUM["North_American_Datum_1983",
      SPHEROID["GRS 1980",6378137,298.25722,
        AUTHORITY["EPSG","7019"]],
      TOWGS84[0,0,0,0,0,0],
      AUTHORITY["EPSG","6269"]],
    PRIMEM["Greenwich",0],
    UNIT["degree",0.0174532925199433],
    AUTHORITY["EPSG","4269"]],
  PROJECTION["Albers_Conic_Equal_Area"],
  PARAMETER["standard_parallel_1",55],
  PARAMETER["standard_parallel_2",65],
  PARAMETER["latitude_of_center",50],
  PARAMETER["longitude_of_center",-154],
  PARAMETER["false_easting",0],
  PARAMETER["false_northing",0],
  UNIT["metre",1,
    AUTHORITY["EPSG","9001"]]]
```

netCDF How

Parts of a NetCDF File - Stored as a single file comprising two parts:

1. Header

- containing all the information about ***dimensions***, ***attributes***, and ***variables*** except for the variable data

dimensions

- Define the structure and record the length of the data array
- Typically Lon (or X), Lat (or Y),
- Time (or Altitude, Depth, etc.)

variables

- Variables are the actual data in the array.

attributes

- provide details about each variable

2. Data part

- contain the ***data values*** for the variables

netCDF How

Standards (CF Conventions) <http://cfconventions.org>

- CF Conventions refer to the “rules” of how-to build and label netCDF files, especially with regard to the header metadata content
- The metadata provide a definitive description of what the data in each variable represents, and the spatial and temporal properties of the data
- Software that reads netCDF is dependent on files following conventions
- Facilitates building applications with powerful extraction, regridding, and display capabilities

netCDF How

SnowDepth GeoTIFF

Columns x Rows

- 160 col x 240 row

Time Step

- Daily

Pixel Variable

- Snow Depth

Attribute/Unit
cm

Projection (CRS)

- Albers Equal Area

SnowDepth netCDF Header

```
netcdf snow_depth_00500m_2006_time_timebnds {
```

dimensions:

```
time = 365 ;  
x = 160 ;  
y = 240 ;
```

variables:

```
float SnowDepth_500m(time, y, x) ;
```

attributes

```
SnowDepth_500m:_FillValue = -3.4e+38f ;  
SnowDepth_500m:coordinates = "lon lat" ;  
SnowDepth_500m:grid_mapping = "crs" ;  
SnowDepth_500m:long_name = "snow depth" ;  
SnowDepth_500m:units = "cm" ;
```

```
double time(time) ;
```

```
time:units = "days since 2006-01-01 00:00:00" ;  
time:calendar = "standard" ;  
time:description = "middle of each day" ;  
time:long_name = "time" ;  
time:standard_name = "time" ;
```

```
double x(x) ;
```

```
x:standard_name = "projection_x_coordinate" ;  
x:long_name = "x coordinate of projection" ;  
x:units = "m" ;
```

```
double y(y) ;
```

```
y:standard_name = "projection_y_coordinate" ;  
y:long_name = "y coordinate of projection" ;  
y:units = "m" ;
```

netCDF How

SnowDepth GeoTIFF

Columns x Rows

- 160 col x 240 row

Time Step

- Daily

Pixel Variable

- Snow Depth

Attribute/Unit
cm

Projection (CRS)

- Albers Equal Area

SnowDepth netCDF Header

```
netcdf snow_depth_00500m_2006_time_timebnds {
```

dimensions:

```
time = 365 ;  
x = 160 ;  
y = 240 ;
```

variables:

```
float SnowDepth_500m(time, y, x) ;  
SnowDepth_500m:_FillValue = -3.4e+38f ;  
SnowDepth_500m:coordinates = "lon lat" ;  
SnowDepth_500m:grid_mapping = "crs" ;  
SnowDepth_500m:long_name = "snow depth" ;  
SnowDepth_500m:units = "cm" ;
```

```
double time(time) ;
```

attributes

```
time:units = "days since 2006-01-01 00:00:00" ;  
time:calendar = "standard" ;  
time:description = "middle of each day" ;  
time:long_name = "time" ;  
time:standard_name = "time" ;
```

```
double x(x) ;
```

```
x:standard_name = "projection_x_coordinate" ;  
x:long_name = "x coordinate of projection" ;  
x:units = "m" ;
```

```
double y(y) ;
```

```
y:standard_name = "projection_y_coordinate" ;  
y:long_name = "y coordinate of projection" ;  
y:units = "m" ;
```

netCDF How

SnowDepth GeoTIFF

Columns x Rows

- 160 col x 240 row

Time Step

- Daily

Pixel Variable

- Snow Depth

Attribute/Unit
cm

Projection (CRS)

- Albers Equal Area

Header (cont.)

variables: (cont.)

```
float lat(y, x) ;  
    lat:standard_name = "latitude" ;  
    lat:long_name = "latitude" ;  
    lat:units = "degrees_north" ;  
float lon(y, x) ;  
    lon:standard_name = "longitude" ;  
    lon:long_name = "longitude" ;  
    lon:units = "degrees_east" ;  
char crs ;  
    crs:grid_mapping_name = "albers_equal_area" ;  
    crs:false_easting = 0. ;  
    crs:false_northing = 0. ;  
    crs:latitude_of_projection_origin = 50. ;  
    crs:longitude_of_central_meridian = -154. ;  
    crs:standard_parallel = 55., 65. ;  
    crs:long_name = "CRS definition" ;  
    crs:longitude_of_prime_meridian = 0. ;  
    crs:semi_major_axis = 6378137. ;  
    crs:inverse_flattening = 298.257222101004 ;
```

```
// global attributes:
```

```
:Conventions = "CF-1.6" ;  
:institution = "University of Washington" ;  
:title = "Navigating Snowscapes: " ;  
:project = " (ABoVE)" ;  
:contact = "pmahoney29@gmail.com" ;  
:references = "Mahoney, P., et al." ;
```

netCDF How

Data Part

`ncdump -v variable filename.nc`

data:


SnowDepth_500m =

4.14, 4.93, 5.84, 6.47, 6.9, 9.15, 24.42, 25.45, 25.68, 27.52, 29.09,
30.01, 33.62, 38.1, 36.54, 20.24, 31.2, 39.19, 36.21, 26.99, 26.24,
30.99, 24.29, 26.26, 11.75, 7.31, 18.21, 8.07, 8.82, 27.38, 27.75, 29.18,
25.16, 28.1, 28.23, 28.55, 16.18, 16.26, 16.52, 16.8, 16.95, 17.1, 29.7,
30.22, 32.02, 35.23, 36.82, 38.74, 41.44, 38.76, 38.64, 45.14, 48.81,
40.85, 45.08, 52.59, 47.35, 40.96, 40.03, 44.26, 54.95, 49.89, 43.85,
52.49, 40.6, 39.47, 48.32, 47.38, 42.27, 41.93, 49.54, 46.38, 38.94,
37.48, 50.29, 52.52, 56.79, 63.49, 44.64, 41.42, 49.59, 63.27, 54.73,
27.46, 45.41, 55, 59.12, 43.57, 53.41, 69.57, 51.09, 43.31, 48.09, 52.93,
40.27, 32.03, 31.43, 33.34, 36.43, 41.55, 45.76, 47.59, 45.57, 42.19,
42.08, 42.82, 51.15, 56.86, 58.51, 50.62, 43.65, 53.45, 59.99, 68.92,
44.63, 63.05, 58.65, 54.91, 56.68, 55.86, 53.98, 55.48, 55.87, 47.53,
48.95, 50.67, 42.41, 42.35, 40.11, 35.63, 26.62, 26.74, 31.4, 46.73,
54.85, 61.01, 66.35, 53.76, 54.71, 55.3, 56.66, 47.95, 40.11, 41.96,
45.05, 45.94, 47.33, 49.67, 51.3, 64.2, 58.71, 59.98, 62.63, 62.47,
64.68, 67.2, 66.47, 67.21, 66.26, 89.39,

...

...

netCDF How



Software

Command Line Utilities



GDAL – Geospatial Data Abstraction Library <https://gdal.org>

GDAL is a translator library for raster and vector geospatial data formats

GDAL Programs used in the webinar

gdalinfo - lists information about a raster dataset

gdal_translate - converts raster data between different formats



NCO = netCDF Operators <http://nco.sourceforge.net/>

The netCDF Operators (NCO) comprise about a dozen standalone, command-line programs that manipulate [netCDF](#) files

NCO Programs used in the webinar

ncdump - generates text representation of a netCDF dataset

ncatted – netCDF ATTRIBUTE EDITOR

ncrename – netCDF RENAMEER

nccat – netCDF Ensemble conCATenator

ncks – netCDF Kitchen Sink


nccopy - copies and optionally compresses and chunks netCDF data

Software



Python – Programming Language

<https://www.python.org/>



Panoply <https://www.giss.nasa.gov/tools/panoply/>

*A very useful visualizer for netCDF Header and Data
Plots geo-referenced netCDF and other datasets*